

Geometrie		seat tube	top tube	seat angle	head tube angle	head tube	rear stays	seatpost	travel	headset	Reach	Stack
		Sitzrohr	Oberrohr	Sitzwinkel	Lenkwinkel	Steuerrohr	Hinterbau	Sattelstütze	Federweg	Steuersatz	Reach	Stack
Tyke P1, 29"	S	420mm	595	73°	69°	100	450	31,6		11/8"-1,5"		
Tyke ROSL, 29"	M	470mm	612	73°	69°	120	450	31,6		11/8"-1,5"		
	L	520mm	630	73°	69°	130	450	31,6		11/8"-1,5"		
	XL	550mm	645	73°	69°	150	450	31,6		11/8"-1,5"		
Tyke SL, 27,5"	S	430mm	585	73°	69°	120	435	31,6		11/8"-1,5"		
Tyke P1, 27,5"	S/M	450mm	590	73°	69°	120	435	31,6		11/8"-1,5"		
	M	480mm	600	73°	69°	120	435	31,6		11/8"-1,5"		
	L	530mm	625	73°	69°	130	435	31,6		11/8"-1,5"		
	XL	550mm	645	73°	69°	150	435	31,6		11/8"-1,5"		
Tyke P1 AM 650 B+/29"	S	423	595	74°	66°	110	440	31,6		11/8"-1,5"		
	M	450	620	74°	66°	120	440	31,6		11/8"-1,5"		
	L	480	630	74°	66°	130	440	31,6		11/8"-1,5"		
	XL	520	645	74°	66°	150	440	31,6		11/8"-1,5"		
Tyke T1, 28"		430mm	550	73°	69°	130	450	31,6		11/8"-1,5"		
Tyke T1 Pinion, 28"		480mm	565	73°	69°	140	450	31,6		11/8"-1,5"		
Tyke T1 Rohloff, 28"		520mm	574	73°	69°	150	450	31,6		11/8"-1,5"		
		540mm	580	73°	69°	160	450	31,6		11/8"-1,5"		
		560mm	585	73°	69°	170	450	31,6		11/8"-1,5"		
		580mm	600	73°	69°	170	450	31,6		11/8"-1,5"		
		610mm	615	73°	69°	190	450	31,6		11/8"-1,5"		
Tyke P1, 29"+ plus	XS	420mm	595	73°	68°	100	465	31,6		11/8"-1,5"		
	S	450mm	605	73°	68°	120	465	31,6		11/8"-1,5"		
	M	470mm	625	73°	68°	120	465	31,6		11/8"-1,5"		
	L	520mm	635	73°	68°	130	465	31,6		11/8"-1,5"		
	XL	550mm	650	73°	68°	150	465	31,6		11/8"-1,5"		
Szenario, Pinion 650B, Gates	S	430	575	74°	67°	110	445	31,6	130-150	11/8"-1,5"		
	M	480	595	74°	67°	120	445	31,6	130-150	11/8"-1,5"		
	L	520	620	74°	67°	130	445	31,6	130-150	11/8"-1,5"		
	XL	550	635	74°	67°	150	445	31,6	130-150	11/8"-1,5"		
Szenario, Pinion 29", Gates	S	430	575	74°	67°	110	455	31,6	130-150	11/8"-1,5"		
	M	480	595	74°	67°	120	455	31,6	130-150	11/8"-1,5"		
	L	520	620	74°	67°	130	455	31,6	130-150	11/8"-1,5"		
	XL	550	635	74°	67°	150	455	31,6	130-150	11/8"-1,5"		

Geometrie		seat tube	top tube	seat angle	head tube angle	head tube	rear stays	seatpost	travel	headset	Reach	Stack
		Sitzrohr	Oberrohr	Sitzwinkel	Lenkwinkel	Steuerrrohr	Hinterbau	Sattelstütze	Federweg	Steuersatz	Reach	Stack
Szenario E, Pinion 29", Gates, NeoDrives	S	430	575	74°	67°	120	455	31,6	130-150	11/8"-1,5"		
	M	480	595	74°	67°	120	455	31,6	130-150	11/8"-1,5"		
	L	520	620	74°	67°	130	455	31,6	130-150	11/8"-1,5"		
	XL	550	635	74°	67°	150	455	31,6	130-150	11/8"-1,5"		
Szenario E, Pinion 27,5"+ Gates, NeoDrives	S	430	575	74°	67°	120	445	31,6	130-150	11/8"-1,5"		
	M	480	595	74°	67°	120	445	31,6	130-150	11/8"-1,5"		
	L	520	620	74°	67°	130	445	31,6	130-150	11/8"-1,5"		
	XL	550	635	74°	67°	150	445	31,6	130-150	11/8"-1,5"		
Zeno E 27,5"+/29" Das Smarte System (GEN5) Rohloff, Gates, Bosch	S	440	590	73°	67°	120	465	30,9		11/8"-1,5"		
	M	480	625	73°	67°	120	465	30,9		11/8"-1,5"		
	L	520	635	73°	67°	130	465	30,9		11/8"-1,5"		
	XL	550	645	73°	67°	150	465	30,9		11/8"-1,5"		
	XXL	570	660	73°	67°	170	465	30,9		11/8"-1,5"		
Zeno E 27,5"+/29" Rohloff, Gates, Bosch GEN 4	S	440	590	73°	67°	110	465	30,9		11/8"-1,5"		
	M	480	625	73°	67°	120	465	30,9		11/8"-1,5"		
	L	520	635	73°	67°	130	465	30,9		11/8"-1,5"		
	XL	550	645	73°	67°	150	465	30,9		11/8"-1,5"		
Zeno E Trekking 28""		430mm	550	73°	69°	130	465	30,9		11/8"-1,5"		
		480mm	565	73°	69°	140	465	30,9		11/8"-1,5"		
		520mm	574	73°	69°	150	465	30,9		11/8"-1,5"		
		540mm	580	73°	69°	160	465	30,9		11/8"-1,5"		
		560mm	585	73°	69°	175	465	30,9		11/8"-1,5"		
		580mm	600	73°	69°	180	465	30,9		11/8"-1,5"		
		610mm	620	73°	69°	190	465	30,9		11/8"-1,5"		

Geometrie		seat tube	top tube	seat angle	head tube angle	head tube	rear stays	seatpost	travel	headset	Reach	Stack
		Sitzrohr	Oberrohr	Sitzwinkel	Lenkwinkel	Steuerrrohr	Hinterbau	Sattelstütze	Federweg	Steuersatz	Reach	Stack
Szenario E, Bosch 29", 27,5"+ Das Smarte System (GEN5) Rohloff, Gates, Bosch	S											
	M	450	615	74°	66°	120	468	30,9	140-160	1,5"		
	L	500	625	74°	66°	130	468	30,9	140-160	1,5"		
	XL	540	645	74°	66°	150	468	30,9	140-160	1,5"		
	XXL	560	660	74°	66°	170	468	31,9	140-161	1,5"		
Szenario E, Bosch 29", 27,5"+ Rohloff, Gates, Bosch CGEN4)	S	400	590	74°	67°	120	468	30,9	130-150	1,5"		
	M	450	615	74°	67°	120	468	30,9	130-150	1,5"		
	L	500	625	74°	67°	130	468	30,9	130-150	1,5"		
	XL	540	645	74°	67°	150	468	30,9	130-150	1,5"		
Puna 27,5"+/29" Carbon	S	423	590	75°	67,5°	90	440	31,6	140	11/8"-1,5"	430	597
	M	450	608	75°	67,5°	100	440	31,6	140	11/8"-1,5"	445	610
	L	470	630	75°	67,5°	110	440	31,6	140	11/8"-1,5"	460	617